

Lien vers une vidéo de présentation :




Link zu einem Präsentationsvideo:

Link to a presentation video:

https://youtu.be/B4N6xHWqt_0


NATURAL

NATURALES NATURAL TILES

	NATURAL UNGLAZED	
	Características dimensionales Dimension tolerance	<1,25% máx 2 mm.
	Absorción de agua Water absorption	3<E≤6%
	Coef. Dilatación termica lineal Linear thermal expansion coefficient	3,8x10 ⁻⁶ xC ⁻¹
	Resistencia a la flexión Breaking Strength	20 a 25 N/mm ²
	Resistencia a la abrasión profunda Resistance to deep abrasion	<393 mm ³
	Resistencia al rayado (Método Mohs) Scratch hardness of surface (Mohs Method)	6
	Resistencia a las manchas Resistance to stains	clase 3 a 5 class 3 to 5
	Péndulo (CTE) Not required out of Spain	clase 3 class 3
	A pie descalzo Barefoot slip resistance	C
	A pie calzado Slip resistance with footwear	R11
	Extrusión Extruded tiles	✓
	Resistencia a la helada Frost resistance	✓
	Resistencia al choque térmico Resistance to thermal shock	✓
	Resistencia química Chemical resistance	✓



Natural



FORMATOS SIZES

40x40 · 33x33 · 25x25 · 20x20 **cm.**
16x33 · 12x25 · 6x25 · 6x33 **cm.**





Natural



BASE 6x25* Natural Cod. 902878 [MC415]

TILE 6x25*
[62x244x10 mm.]


* Se obtiene a partir de base de 12x25 premarcada.
* It is obtained from 12x25 premarked tile.



BASE 6x33* Natural Cod. 903942 [MC427]


TILE 6x33*
[62x325x10 mm.]

* Se obtiene a partir de base de 12x33 premarcada.
* It is obtained from 12x33 premarked tile.




BASE 12x25 Natural Cod. 900013 [MC415]

TILE 12x25
[119x244x14 mm.]




BASE 16x33 Natural Cod. 901068 [MC460]

TILE 16x33
[159x325x16 mm.]




BASE 20x20 Natural Cod. 900181 [MC400]

TILE 20x20
[195x195x14 mm.]




BASE 25x25 Natural Cod. 900005 [MC390]

TILE 25x25
[244x244x14 mm.]




BASE 33x33 Natural Cod. 901001 [MC440]

TILE 33x33
[325x325x16 mm.]



BASE 40x40 Natural Cod. 901200 [MC570]

TILE 40x40
[395x395x20 mm.]



1 Base	Tile	5 Rodapié	Skirting board
2 Peldaño	Stair-tread	6 Vierteaguas	Wash
3 Esquina	Stair-tread corner	7 Pasamanos	Handrail
4 Zanquín	String	8 Cantonera	Edging



Natural 25x25


	Espesor (mm) Thickness (mm)	U.M.*	U.M./Caja U.M./Box	U.M./Palet U.M./Pallet	Pzs./U.M. Pcs./U.M.	Pzs./Caja Pcs./Box	Kg./U.M. Kg./U.M.	Kg./Caja Kg./Box	Kg./Palet Kg./Pallet
Base 6x25 (12x25 premarcada) Tile 6x25 (premarked tile 12x25)	10	m ² sqm	0,64	76,8	64	40	17	10,640	1276,8
Base 6x33 (12x33 premarcada) Tile 6x33 (premarked tile 12x33)	10	m ² sqm	0,87	52,2	45,45	40	17	15	1350
Base 12x25 Tile 12x25	14	m ² sqm	0,5	60	32	16	24,80	12,40	1489
Base 16x33 Tile 16x33	16	m ² sqm	0,68	40	18	12	30,6	20,4	1225
Base 20x20 Tile 20x20	14	m ² sqm	0,84	50,4	25	21	24,2	20,32	1219
Base 25x25 Tile 25x25	14	m ² sqm	1	60	16	16	26	26	1560
Base 33x33 Tile 33x33	16	m ² sqm	0,66	42,624	9	6	32,6	21,75	1391
Base 40x40 Tile 40x40	20	m ² sqm	0,64	19,2	6,25	4	40,1	25,6	769,8

* Unidad de Medida. Los artículos medidos en m² o ml se sirven contando la junta normal entre piezas.

* Unit of Measure. Items measured in sqm or lm are delivered assuming average joint between pieces.

PELDAÑO RECTO 25

STRAIGHT STAIR-TREAD 25




[244x330x52x20 mm.]

Natural Cod. 901315 [PZ180]

PELDAÑO RECTO 33

STRAIGHT STAIR-TREAD 33




[325x330x52x20 mm.]

Natural Cod. 901316 [PZ240]

ESQUINA RECTA

STRAIGHT STAIR-TREAD CORNER




[330x330x52x20 mm.]

Natural Cod. 901317 [PZ465]

PELDAÑO REDONDEADO 25

ROUNDED STAIR-TREAD 25




[244x330x53x18 mm.]

Natural Cod. 900024 [PZ180]

PELDAÑO REDONDEADO 33

ROUNDED STAIR-TREAD 33




[325x330x53x18 mm.]

Natural Cod. 901051 [PZ240]

ESQUINA REDONDEADA

ROUNDED STAIR-TREAD CORNER




[330x330x53x18 mm.]

Natural Cod. 900040 [PZ465]

ZANQUÍN RECTO IZDA.

STRAIGHT STRING LEFT SIDE




[390x80/200X100x16 mm.]

Natural Cod. 901318 [PZ100]

ZANQUÍN RECTO DCHA.

STRAIGHT STRING RIGHT SIDE



[390x80/200X100x16 mm.]

Natural Cod. 901319 [PZ100]

RODAPIÉ 25

SKIRTING BOARD 25




[244x80x14 mm.]

Natural Cod. 900030 [ML100]

ZANQUÍN REDONDEADO IZDA.

ROUNDED STRING LEFT SIDE




[390x80/200X100x16 mm.]

Natural Cod. 900034 [PZ100]

ZANQUÍN REDONDEADO DCHA.

ROUNDED STRING RIGHT SIDE



[390x80/200X100x16 mm.]

Natural Cod. 900456 [PZ100]

RODAPIÉ 33

SKIRTING BOARD 33




[325x80x16 mm.]


Natural Cod. 901021 [ML145]

	Espe- sor (mm) Thickness (mm)	U.M.*	U.M./Caja U.M./Box	U.M./Palet U.M./Pallet	Pzs./U.M. Pcs./U.M.	Pzs./Caja Pcs./Box	Kg./U.M. Kg./U.M.	Kg./Caja Kg./Box	Kg./Palet Kg./Pallet
Peldaño recto 25 Straight stair-tread 25	20	Pz. Pc.	6	324	1	6	3,4	20,3	1095
Peldaño recto 33 Straight stair-tread 33	20	Pz. Pc.	6	216	1	6	4,8	28,8	1037
Esquina recta Straight stair-tread corner	20	Pz. Pc.	2	60	1	2	6,2	12,4	372
Peldaño redondeado 25 Rounded stair-tread 25	18	Pz. Pc.	6	324	1	6	3,3	19,8	1069
Peldaño redondeado 33 Rounded stair-tread 33	18	Pz. Pc.	6	216	1	6	4,4	26,4	950
Esquina redondeada Rounded stair-tread corner	18	Pz. Pc.	2	60	1	2	6	12	360
Zanquín recto izda. Straight string left side	16	Pz. Pc.	10	300	1	10	1,3	13	390
Zanquín recto dcha. Straight string right side	16	Pz. Pc.	10	300	1	10	1,3	13	390
Rodapié 25 Skirting board 25	14	ml lm	11,25	450	4	45	2,3	25,9	1038,6
Zanquín redondeado izda. Rounded string left side	16	Pz. Pc.	10	300	1	10	1,3	13	390
Zanquín redondeado dcha. Rounded string right side	16	Pz. Pc.	10	300	1	10	1,3	13	390
Rodapié 33 Skirting board 33	16	ml lm	8	576	3	24	2,3	18	1296

Anchura recomendada de la junta de colocación: 6 - 8 mm.
Recommended joint width 6 - 8 mm.

**TABICA 25**


RISER 25



[244x120x20 mm.]

Natural Cod. 900032 [PZ025]**TABICA 33**


RISER 33



[325x120x20 mm.]

Natural Cod. 900068 [PZ045]**BORDE DESBORDANTE**


OVERFLOWING EDGE



[330x325x22 x26mm.]

Natural Cod. 902795 [PZ225]**ESQ. INT. BORDE DESBORDANTE**


OVERFLOWING INTERNAL EDGE



[330x444x119x26 mm.]

Natural Cod. 901931 [JG395]**ESQ. EXT. BORDE DESBORDANTE**


OVERFLOWING EXTERNAL EDGE



[330x353x26x22 mm.]

Natural Cod. 901932 [JG395]**REJILLA CERÁMICA MONOCOMPACT****


MONOCOMPACT CERAMIC GRID



[325x244x25 mm.]

Natural Cod. 902972 [PZ645]**ESQUINA REJILLA**


CORNER GRID



[293x244x25x80 mm.]

Natural Cod. 901489 [JG750]**CANALETA***

OVERFLOW CHANNEL



[325x325x30 mm.]

Natural Cod. 901871 [PZ250]

** En rejillas los agujeros siempre deben ir perpendiculares al vaso para una mayor resistencia, con canal de 250 mm. de ancho.

** Install the grids with the holes always perpendicular to the pool vessel to get a greater resistance, with a channel 250 mm wide. Ver/see pg. 18.

* Disponible Canaleta con desagüe.

* Overflow channel with drainage available.


	Espesor (mm) Thickness (mm)	U.M.*	U.M./Caja U.M./Box	U.M./Palet U.M./Pallet	Pzs./U.M. Pcs./U.M.	Pzs./Caja Pcs./Box	Kg./U.M. Kg./U.M.	Kg./Caja Kg./Box	Kg./Palet Kg./Pallet
Tabica 25 Riser 25	20	Pz. Pc.	7	280	4	7	4	28	1120
Tabica 33 Riser 33	20	Pz. Pc.	4,33	320,66	3	13	3,8	16,5	1217
Borde desbordante Overflowing edge	26-22	Pz. Pc.	4	128	1	4	5	20	640
Esq. int. borde desbordante Overflowing internal edge	26	Jg. Set	2	-	2	4	8	16	-
Esq. ext. borde desbordante Overflowing external edge	22	Jg. Set	2	-	2	4	5,4	10,8	-
Rejilla cerámica monocompact Monocompact ceramic grid	25	Pz. Pc.	6	378	1	6	3,58	21,5	-
Esquina rejilla Corner grid	25	Set Set	3	-	2	6	4,69	14,07	-
Canaleta Overflow channel	30	Pz. Pc.	3	99	1	3	4,36	13,3	438,6

* Unidad de Medida. Los artículos medidos en m² o ml se sirven contando la junta normal entre piezas.

* Unit of Measure. Items measured in sqm or lm are delivered assuming average joint between pieces.

VIERTEAGUAS 33X33

NATURAL WASH 33X33




[325x330x40x21 mm.]

Natural Cod. 900191 [PZ225]

VIERTEAGUAS 25X25

NATURAL WASH 25X25




[244x244x40x16 mm.]

Natural Cod. 900036 [PZ150]

VIERTEAGUAS 25X33

NATURAL WASH 25X33




[330x244x40x21 mm.]

Natural Cod. 900188 [PZ165]

ÁNGULO DESIGUAL

UNEQUAL EDGE




[244x128x60x10 mm.]

Natural Cod. 904427 [PZ100]

PASAMANOS INT. 27,5

HANDRAIL INT. 27,5




[325x311x60x18 mm.]

Natural Cod. 900073 [PZ285]

PASAMANOS INT. 21,5

HANDRAIL INT. 21,5




[251x244x46x18 mm.]

Natural Cod. 900007 [PZ180]

PASAMANOS INT. 15,5

HANDRAIL INT. 15,5




[244x191x40x18 mm.]

Natural Cod. 900016 [PZ165]

PASAMANOS INT. 12,5

HANDRAIL INT. 12,5




[244x160x40x18 mm.]

Natural Cod. 900017 [PZ145]

REMATE ESQUINA INTERIOR

INTERNAL CORNER




[325x325x65x24 mm.]

Natural Cod. 900184 [PZ525]

REMATE ESQUINA EXTERIOR

EXTERNAL CORNER




[275x275x65x24 mm.]

Natural Cod. 900204 [PZ525]

REMATE 33

EDGE 33



[325x275x65x25 mm.]

Natural Cod. 900197 [PZ290]

REMATE 10

EDGE 10




[275x103x65x25 mm.]

Natural Cod. 900194 [PZ260]

CANTONERA REF. 31

EDGING REF.31




[244x60x60x14 mm.]

Natural Cod. 900028 [PZ090]

ESCOCIA

KEY PIECE




[60x60x60x16 mm.]

Natural Cod. 900026 [PZ180]

ÁNGULO REF. 41R

EDGING REF. 41R



[244x60x60x14 mm.]

Natural Cod. 900035 [PZ100]



Natural 20x20

	Espesor (mm) Thickness (mm)	U.M.*	U.M./Caja U.M./Box	U.M./Palet U.M./Pallet	Pzs./U.M. Pcs./U.M.	Pzs./Caja Pcs./Box	Kg./U.M. Kg./U.M.	Kg./Caja Kg./Box	Kg./Palet Kg./Pallet
Vierteaguas 33x33 Wash 33x33	18	Pz. Pc.	6	216	1	6	4,3	25,8	928,8
Vierteaguas 25x25 Wash 25x25	16	Pz. Pc.	8	480	1	8	2,1	17	1027
Vierteaguas 25x33 Wash 25x33	18	Pz. Pc.	6	324	1	6	3,13	18,78	1014
Ángulo desigual Unequal edge	10	Pz. Pc.	12	720	1	12	1,01	12,2	732
Pasamanos 27,5 Handrail 27,5	18	Pz. Pc.	4	144	1	4	4,6	18,4	662
Pasamanos 21,5 Handrail 21,5	18	Pz. Pc.	5	300	1	5	2,6	13	780
Pasamanos 15,5 Handrail 15,5	18	Pz. Pc.	8	320	1	8	2,2	17,6	704
Pasamanos 12,5 Handrail 12,5	18	Pz. Pc.	11	396	1	11	1,8	19,8	712,8
Remate esq. int. Internal corner	24	Pz. Pc.	2	60	1	2	7,4	14,8	444
Remate esq. ext. External corner	24	Pz. Pc.	2	56	1	2	6,3	12,6	354
Remate 33 Edge 33	25	Pz. Pc.	4	168	1	4	5	19,8	832
Remate 10 Edge 10	25	Pz. Pc.	12	504	1	12	1,85	22,2	932,4
Cantonera ref. 31 Edging ref. 31	14	Pz. Pc.	30	1800	1	30	0,7	20,2	1215
Escocia Key corner piece	16	Pz. Pc.	6	-	1	6	0,3	2,3	-
Ángulo ref. 41R Angle Ref. 41R	14	Pz. Pc.	24	1440	1	24	0,8	19,2	1152

* Unidad de Medida. Los artículos medidos en m² o ml se sirven contando la junta normal entre piezas.

* Unit of Measure. Items measured in sqm or lm are delivered assuming average joint between pieces.


NATURAL

NATURALES NATURAL TILES

	NATURAL UNGLAZED	
	Características dimensionales Dimension tolerance	<1,25% máx 2 mm.
	Absorción de agua Water absorption	3<E≤6%
	Coef. Dilatación termica lineal Linear thermal expansion coefficient	3,8x10 ⁻⁶ xC ⁻¹
	Resistencia a la flexión Breaking Strength	20 a 25 N/mm ²
	Resistencia a la abrasión profunda Resistance to deep abrasion	<393 mm ³
	Resistencia al rayado (Método Mohs) Scratch hardness of surface (Mohs Method)	6
	Resistencia a las manchas Resistance to stains	clase 3 a 5 class 3 to 5
	Péndulo (CTE) Not required out of Spain	clase 3 class 3
	A pie descalzo Barefoot slip resistance	C
	A pie calzado Slip resistance with footwear	R11
	Extrusión Extruded tiles	✓
	Resistencia a la helada Frost resistance	✓
	Resistencia al choque térmico Resistance to thermal shock	✓
	Resistencia química Chemical resistance	✓



Natural



FORMATOS SIZES

40x40 · 33x33 · 25x25 · 20x20 **cm.**
16x33 · 12x25 · 6x25 · 6x33 **cm.**






Natural




BASE 6x25* Natural Cod. 902878 [MC415]
TILE 6x25*
 [62x244x10 mm.]

* Se obtiene a partir de base de 12x25 premarcada.
 * It is obtained from 12x25 premarked tile.



BASE 6x33* Natural Cod. 903942 [MC427]
TILE 6x33*
 [62x325x10 mm.]


* Se obtiene a partir de base de 12x33 premarcada.
 * It is obtained from 12x33 premarked tile.




BASE 12x25 Natural Cod. 900013 [MC415]
TILE 12x25
 [119x244x14 mm.]




BASE 16x33 Natural Cod. 901068 [MC460]
TILE 16x33
 [159x325x16 mm.]




BASE 20x20 Natural Cod. 900181 [MC400]
TILE 20x20
 [195x195x14 mm.]




BASE 25x25 Natural Cod. 900005 [MC390]
TILE 25x25
 [244x244x14 mm.]



BASE 33x33 Natural Cod. 901001 [MC440]
TILE 33x33
 [325x325x16 mm.]



BASE 40x40 Natural Cod. 901200 [MC570]
TILE 40x40
 [395x395x20 mm.]



1 Base	Tile	5 Rodapié	Skirting board
2 Peldaño	Stair-tread	6 Vierteaguas	Wash
3 Esquina	Stair-tread corner	7 Pasamanos	Handrail
4 Zanquín	String	8 Cantonera	Edging



Natural 25x25


	Espesor (mm) Thickness (mm)	U.M.*	U.M./Caja U.M./Box	U.M./Palet U.M./Pallet	Pzs./U.M. Pcs./U.M.	Pzs./Caja Pcs./Box	Kg./U.M. Kg./U.M.	Kg./Caja Kg./Box	Kg./Palet Kg./Pallet
Base 6x25 (12x25 premarcada) Tile 6x25 (premarked tile 12x25)	10	m ² sqm	0,64	76,8	64	40	17	10,640	1276,8
Base 6x33 (12x33 premarcada) Tile 6x33 (premarked tile 12x33)	10	m ² sqm	0,87	52,2	45,45	40	17	15	1350
Base 12x25 Tile 12x25	14	m ² sqm	0,5	60	32	16	24,80	12,40	1489
Base 16x33 Tile 16x33	16	m ² sqm	0,68	40	18	12	30,6	20,4	1225
Base 20x20 Tile 20x20	14	m ² sqm	0,84	50,4	25	21	24,2	20,32	1219
Base 25x25 Tile 25x25	14	m ² sqm	1	60	16	16	26	26	1560
Base 33x33 Tile 33x33	16	m ² sqm	0,66	42,624	9	6	32,6	21,75	1391
Base 40x40 Tile 40x40	20	m ² sqm	0,64	19,2	6,25	4	40,1	25,6	769,8

* Unidad de Medida. Los artículos medidos en m² o ml se sirven contando la junta normal entre piezas.

* Unit of Measure. Items measured in sqm or lm are delivered assuming average joint between pieces.

PELDAÑO RECTO 25

STRAIGHT STAIR-TREAD 25




[244x330x52x20 mm.]

Natural Cod. 901315 [PZ180]

PELDAÑO RECTO 33

STRAIGHT STAIR-TREAD 33




[325x330x52x20 mm.]

Natural Cod. 901316 [PZ240]

ESQUINA RECTA

STRAIGHT STAIR-TREAD CORNER




[330x330x52x20 mm.]

Natural Cod. 901317 [PZ465]

PELDAÑO REDONDEADO 25

ROUNDED STAIR-TREAD 25




[244x330x53x18 mm.]

Natural Cod. 900024 [PZ180]

PELDAÑO REDONDEADO 33

ROUNDED STAIR-TREAD 33




[325x330x53x18 mm.]

Natural Cod. 901051 [PZ240]

ESQUINA REDONDEADA

ROUNDED STAIR-TREAD CORNER




[330x330x53x18 mm.]

Natural Cod. 900040 [PZ465]

ZANQUÍN RECTO IZDA.

STRAIGHT STRING LEFT SIDE




[390x80/200X100x16 mm.]

Natural Cod. 901318 [PZ100]

ZANQUÍN RECTO DCHA.

STRAIGHT STRING RIGHT SIDE




[390x80/200X100x16 mm.]

Natural Cod. 901319 [PZ100]

RODAPIÉ 25

SKIRTING BOARD 25




[244x80x14 mm.]

Natural Cod. 900030 [ML100]

ZANQUÍN REDONDEADO IZDA.

ROUNDED STRING LEFT SIDE




[390x80/200X100x16 mm.]

Natural Cod. 900034 [PZ100]

ZANQUÍN REDONDEADO DCHA.

ROUNDED STRING RIGHT SIDE



[390x80/200X100x16 mm.]

Natural Cod. 900456 [PZ100]

RODAPIÉ 33

SKIRTING BOARD 33




[325x80x16 mm.]


Natural Cod. 901021 [ML145]

	Espe- sor (mm) Thickness (mm)	U.M.*	U.M./Caja U.M./Box	U.M./Palet U.M./Pallet	Pzs./U.M. Pcs./U.M.	Pzs./Caja Pcs./Box	Kg./U.M. Kg./U.M.	Kg./Caja Kg./Box	Kg./Palet Kg./Pallet
Peldaño recto 25 Straight stair-tread 25	20	Pz. Pc.	6	324	1	6	3,4	20,3	1095
Peldaño recto 33 Straight stair-tread 33	20	Pz. Pc.	6	216	1	6	4,8	28,8	1037
Esquina recta Straight stair-tread corner	20	Pz. Pc.	2	60	1	2	6,2	12,4	372
Peldaño redondeado 25 Rounded stair-tread 25	18	Pz. Pc.	6	324	1	6	3,3	19,8	1069
Peldaño redondeado 33 Rounded stair-tread 33	18	Pz. Pc.	6	216	1	6	4,4	26,4	950
Esquina redondeada Rounded stair-tread corner	18	Pz. Pc.	2	60	1	2	6	12	360
Zanquín recto izda. Straight string left side	16	Pz. Pc.	10	300	1	10	1,3	13	390
Zanquín recto dcha. Straight string right side	16	Pz. Pc.	10	300	1	10	1,3	13	390
Rodapié 25 Skirting board 25	14	ml lm	11,25	450	4	45	2,3	25,9	1038,6
Zanquín redondeado izda. Rounded string left side	16	Pz. Pc.	10	300	1	10	1,3	13	390
Zanquín redondeado dcha. Rounded string right side	16	Pz. Pc.	10	300	1	10	1,3	13	390
Rodapié 33 Skirting board 33	16	ml lm	8	576	3	24	2,3	18	1296

Anchura recomendada de la junta de colocación: 6 - 8 mm.
Recommended joint width 6 - 8 mm.

**TABICA 25**


RISER 25



[244x120x20 mm.]

Natural Cod. 900032 [PZ025]**TABICA 33**


RISER 33



[325x120x20 mm.]

Natural Cod. 900068 [PZ045]**BORDE DESBORDANTE**


OVERFLOWING EDGE



[330x325x22 x26mm.]

Natural Cod. 902795 [PZ225]**ESQ. INT. BORDE DESBORDANTE**


OVERFLOWING INTERNAL EDGE



[330x444x119x26 mm.]

Natural Cod. 901931 [JG395]**ESQ. EXT. BORDE DESBORDANTE**


OVERFLOWING EXTERNAL EDGE



[330x353x26x22 mm.]

Natural Cod. 901932 [JG395]**REJILLA CERÁMICA MONOCOMPACT****


MONOCOMPACT CERAMIC GRID



[325x244x25 mm.]

Natural Cod. 902972 [PZ645]**ESQUINA REJILLA**


CORNER GRID



[293x244x25x80 mm.]

Natural Cod. 901489 [JG750]**CANALETA***

OVERFLOW CHANNEL



[325x325x30 mm.]

Natural Cod. 901871 [PZ250]

** En rejillas los agujeros siempre deben ir perpendiculares al vaso para una mayor resistencia, con canal de 250 mm. de ancho.

** Install the grids with the holes always perpendicular to the pool vessel to get a greater resistance, with a channel 250 mm wide. Ver/see pg. 18.

* Disponible Canaleta con desagüe.

* Overflow channel with drainage available.


	Espesor (mm) Thickness (mm)	U.M.*	U.M./Caja U.M./Box	U.M./Palet U.M./Pallet	Pzs./U.M. Pcs./U.M.	Pzs./Caja Pcs./Box	Kg./U.M. Kg./U.M.	Kg./Caja Kg./Box	Kg./Palet Kg./Pallet
Tabica 25 Riser 25	20	Pz. Pc.	7	280	4	7	4	28	1120
Tabica 33 Riser 33	20	Pz. Pc.	4,33	320,66	3	13	3,8	16,5	1217
Borde desbordante Overflowing edge	26-22	Pz. Pc.	4	128	1	4	5	20	640
Esq. int. borde desbordante Overflowing internal edge	26	Jg. Set	2	-	2	4	8	16	-
Esq. ext. borde desbordante Overflowing external edge	22	Jg. Set	2	-	2	4	5,4	10,8	-
Rejilla cerámica monocompact Monocompact ceramic grid	25	Pz. Pc.	6	378	1	6	3,58	21,5	-
Esquina rejilla Corner grid	25	Set Set	3	-	2	6	4,69	14,07	-
Canaleta Overflow channel	30	Pz. Pc.	3	99	1	3	4,36	13,3	438,6

* Unidad de Medida. Los artículos medidos en m² o ml se sirven contando la junta normal entre piezas.

* Unit of Measure. Items measured in sqm or lm are delivered assuming average joint between pieces.

VIERTEAGUAS 33X33

NATURAL WASH 33X33




[325x330x40x21 mm.]

Natural Cod. 900191 [PZ225]

VIERTEAGUAS 25X25

NATURAL WASH 25X25




[244x244x40x16 mm.]

Natural Cod. 900036 [PZ150]

VIERTEAGUAS 25X33

NATURAL WASH 25X33




[330x244x40x21 mm.]

Natural Cod. 900188 [PZ165]

ÁNGULO DESIGUAL

UNEQUAL EDGE




[244x128x60x10 mm.]

Natural Cod. 904427 [PZ100]

PASAMANOS INT. 27,5

HANDRAIL INT. 27,5




[325x311x60x18 mm.]

Natural Cod. 900073 [PZ285]

PASAMANOS INT. 21,5

HANDRAIL INT. 21,5




[251x244x46x18 mm.]

Natural Cod. 900007 [PZ180]

PASAMANOS INT. 15,5

HANDRAIL INT. 15,5




[244x191x40x18 mm.]

Natural Cod. 900016 [PZ165]

PASAMANOS INT. 12,5

HANDRAIL INT. 12,5




[244x160x40x18 mm.]

Natural Cod. 900017 [PZ145]

REMATE ESQUINA INTERIOR

INTERNAL CORNER




[325x325x65x24 mm.]

Natural Cod. 900184 [PZ525]

REMATE ESQUINA EXTERIOR

EXTERNAL CORNER




[275x275x65x24 mm.]

Natural Cod. 900204 [PZ525]

REMATE 33

EDGE 33



[325x275x65x25 mm.]

Natural Cod. 900197 [PZ290]

REMATE 10

EDGE 10




[275x103x65x25 mm.]

Natural Cod. 900194 [PZ260]

CANTONERA REF. 31

EDGING REF.31




[244x60x60x14 mm.]

Natural Cod. 900028 [PZ090]

ESCOCIA

KEY PIECE




[60x60x60x16 mm.]

Natural Cod. 900026 [PZ180]

ÁNGULO REF. 41R

EDGING REF. 41R



[244x60x60x14 mm.]

Natural Cod. 900035 [PZ100]



Natural 20x20

	Espesor (mm) Thickness (mm)	U.M.*	U.M./Caja U.M./Box	U.M./Palet U.M./Pallet	Pzs./U.M. Pcs./U.M.	Pzs./Caja Pcs./Box	Kg./U.M. Kg./U.M.	Kg./Caja Kg./Box	Kg./Palet Kg./Pallet
Vierteaguas 33x33 Wash 33x33	18	Pz. Pc.	6	216	1	6	4,3	25,8	928,8
Vierteaguas 25x25 Wash 25x25	16	Pz. Pc.	8	480	1	8	2,1	17	1027
Vierteaguas 25x33 Wash 25x33	18	Pz. Pc.	6	324	1	6	3,13	18,78	1014
Ángulo desigual Unequal edge	10	Pz. Pc.	12	720	1	12	1,01	12,2	732
Pasamanos 27,5 Handrail 27,5	18	Pz. Pc.	4	144	1	4	4,6	18,4	662
Pasamanos 21,5 Handrail 21,5	18	Pz. Pc.	5	300	1	5	2,6	13	780
Pasamanos 15,5 Handrail 15,5	18	Pz. Pc.	8	320	1	8	2,2	17,6	704
Pasamanos 12,5 Handrail 12,5	18	Pz. Pc.	11	396	1	11	1,8	19,8	712,8
Remate esq. int. Internal corner	24	Pz. Pc.	2	60	1	2	7,4	14,8	444
Remate esq. ext. External corner	24	Pz. Pc.	2	56	1	2	6,3	12,6	354
Remate 33 Edge 33	25	Pz. Pc.	4	168	1	4	5	19,8	832
Remate 10 Edge 10	25	Pz. Pc.	12	504	1	12	1,85	22,2	932,4
Cantenera ref. 31 Edging ref. 31	14	Pz. Pc.	30	1800	1	30	0,7	20,2	1215
Escocia Key corner piece	16	Pz. Pc.	6	-	1	6	0,3	2,3	-
Ángulo ref. 41R Angle Ref. 41R	14	Pz. Pc.	24	1440	1	24	0,8	19,2	1152

* Unidad de Medida. Los artículos medidos en m² o ml se sirven contando la junta normal entre piezas.

* Unit of Measure. Items measured in sqm or lm are delivered assuming average joint between pieces.